

Index

A

Arabic script, 4:9

Audience for this manual, i

Authority format equivalents

export characteristics, 5:4

Authority record blocks, 1:2

Authority record control fields, 3:4

tags 001–005, 3:4

tag 008, 3:5

Authority record directory, 3:3

bytes 00–11, 3:3

Authority record export characteristics, 5:4

Authority record leader, 3:2

bytes 00–23, 3:2

Authority record variable fields, 3:8

control subfield †w: 4xx and 5xx fields, 3:34

control subfield †w: 7xx fields, 3:35

0xx fields

tags 010–031, 3:8

tags 034–035, 3:9

tags 040–055, 3:10

tags 060–082, 3:11

tags 083–098, 3:12

tag 099, 3:13

1xx fields

tag 100, 3:13

tags 110–111, 3:14

tags 130–155, 3:15

tags 180–185, 3:16

2xx fields

tag 260, 3:16

3xx fields

tag 360, 3:16

4xx fields

tag 400, 3:17

tag 410, 3:18

tags 411–430, 3:19

tags 450–481, 3:20

tags 482–485, 3:21

5xx fields

tag 500, 3:21

tag 510, 3:22

tag 511, 3:223

tags 530–550, 3:24

tags 551–582, 3:25

tag 585, 3:26

6xx fields

tags 640–646, 3:26

tags 663–690, 3:27

7xx fields

tag 700, 3:28

tag 710, 3:29

tag 711, 3:30

tags 730, 3:31

tags 751, 3:32

tags 781–780, 3:33

tags 781 3:33

9xx fields

tags 945–952, 3:33

B

- Bibliographic field 066, 4:10
- Bibliographic field 880, 4:11
- Bibliographic field 880, subfield #6, 4:12
- Bibliographic format equivalents
 - export characteristics, 5:2
- Bibliographic record blocks, 1:2
- Bibliographic record control fields, 2:6
 - summary of field 007, 2:9
 - summary of field 008, 2:30
 - tags 001–006, 2:6-2:7
 - tag 007, 2:11
 - tag 007: byte 00, 2:8
 - tag 008, 2:32
- Bibliographic record directory, 2:5
 - bytes 00–11, 2:5
- Bibliographic record export characteristics, 5:1
- Bibliographic record leader, 2:2
 - bytes 00–10, 2:2
 - bytes 11–21, 2:3
 - bytes 22–23, 2:4
- Bibliographic record variable fields, 2:48
 - 0xx fields*
 - tags 010–011, 2:48
 - tags 012–016, 2:49
 - tags 017–022, 2:50
 - tags 024–027, 2:51
 - tags 028–031, 2:52
 - tags 032–034, 2:53
 - tags 035–040, 2:54
 - tags 041–042, 2:55
 - tags 043–045, 2:56
 - tags 046–048, 2:57
 - tag 049, 2:58
 - tags 050–052, 2:59
 - tags 055–066, 2:60
 - tags 069–079, 2:61
 - tags 080–088, 2:62
 - tags 090–096, 2: 63
 - tag 098, 2:64
 - tag 099, 2:65
 - 1xx fields*
 - tag 100, 2:65
 - tag 110, 2:66
 - tags 111–130, 2:67
- Bibliographic record variable fields (continued)
 - 2xx fields*
 - tags 210–222, 2:68
 - tags 240–242, 2:69
 - tags 243–245, 2:70
 - tags 246–254, 2:71
 - tags 255–261, 2:72
 - tags 262–270, 2:73
 - 3xx fields*
 - tag 300–315, 2:74
 - tags 321–340, 2:75
 - tags 342–343, 2:76
 - tags 350–355, 2:77
 - tags 357–362, 2:78
 - 4xx fields*
 - tag 400, 2:79
 - tag 410, 2:80
 - tag 411–490, 2:81
 - 5xx fields*
 - tags 500–505, 2:82
 - tags 506–508, 2:83
 - tags 510–513, 2:84
 - tags 514–520, 2:85
 - tags 521–525, 2:86
 - tags 526–530, 2:87
 - tags 533–534, 2:88
 - tags 535–539, 2:89
 - tags 540–544, 2:90
 - tags 545–551, 2:91
 - tags 552–561, 2:92
 - tags 562–582, 2:93
 - tag 583–590, 2:94
 - tag 599, 2:95
 - 6xx fields*
 - tag 600, 2:96
 - tag 610, 2:97
 - tag 611, 2:98
 - tag 630, 2:99
 - tag 648, 2:100
 - tag 650, 2:101
 - tags 651–653, 2:102
 - tags 654–655, 2:103
 - tags 656–658, 2:104
 - tags 662–690, 2:105
 - tags 691–695, 2:106
 - tag 696, 2:107
 - tag 697, 2:108
 - tag 698, 2:109
 - tag 699, 2:110
 - 7xx fields*
 - tag 700, 2:111
 - tag 710, 2:112
 - tags 711–720, 2:113
- Bibliographic record variable fields (continued)
 - tags 730–752, 2:114
 - tags 753–755, 2:115
 - tags 760, 2:116
 - tag 762–765, 2:117
 - tag 767, 2:118
 - tag 770, 2:119

tag 772, 2:120
tag 773, 2:121
tag 774, 2:122
tag 775, 2:123
tag 776, 2:124
tag 777, 2:125
tag 780, 2:126
tag 785, 2:127
tag 786, 2:128
tag 787, 2:129
tag 790, 2:130
tag 791, 2:131
tag 792, 2:132
tag 793, 2:133
tag 796, 2:134
tag 797, 2:135
tag 798–799, 2:136
8xx fields
tag 800, 2:137
tag 810, 2:138
tag 811, 2:139
tags 830–841, 2:140
tags 843–850, 2:141
tags 851–852, 2:142
tag 853, 2:143
tag 854, 2:144
tag 855, 2:145
tag 856, 2:146
tag 863, 2:147
tag 864, 2:148
tag 865, 2:149
tags 866–868, 2:150
tag 871, 2:151
tags 876–877, 2:152
tags 878–887, 2:153
tags 890–891, 2:154
tag 896, 2:155
tag 897, 2:156
tag 898–899, 2:157
9xx fields
tags 900–9110, 2:158
tags 911–938, 2:159
tags 939–946, 2:160
tags 947–952, 2:161
tags 953–956, 2:162
tags 961–971, 2:163
tags 964–980, 2:165
tags 980–983, 2:164
tags 984–992 2:165
tags 994–999, 2:166

Bibliographic record variable fields: *obsoletes*

tag 011, 2:48
tag 039, 2:54

tag 069, 2:61
tag 211, 2:68
tag 212, 2:68
tag 214, 2:68
tag 315, 2:74
tag 350, 2:77
tag 359, 2:78
tag 400, 2:79
tag 410, 2:80
tags 411, 2:81
tag 503, 2:82
tag 523, 2:86
tag 537, 2:89
tag 551, 2:91
tag 582, 2:93
tag 755, 2:115
tag 871, 2:151
tag 890, 2:154
tag 901, 2:158
tag 930, 2:159
tag 950, 2:161
tag 983, 2:164

C

CJK scripts, 4:9
coded data, 1:3
Components, variable field, 1:12
Content designation, vi, 1:2, G:2
Control fields, 1:4, 1:11
 003 control field, 1:4
 authority data, 1:4, 3:4
 bibliographic data, 1:4, 2:6
 definition, 1:4, G:3
Control subfield †w: authority record variable fields
 4xx and 5xx fields, 3:34
 7xx fields, 3:35

D

 size expansion, A:5
Field 880, 4:11
Field 880, subfield †6, 4:12
Field terminator, 1:5
Fields, tags and, 1:2, G:3, G:8

G

General record structure
 003 control field, 1:4
 control fields, 1:4
 directory, 1:4, G:3
General record structure (continued)
 elements, 1:5
 leader, 1:4, G:5

variable fields, 1:5
Greek script, 4:9

H

Hexadecimal codes, 4:2

I

Indicator 1 and 2, 1:12, G:4

L

Leader, G:5
 authority data, 3:2
 bibliographic data, 2:2
 definition, 1:4, G:5
 entry map structure, 1:9
 general elements, 1:6
 general structure, 1:6

M

MARC-8 character set (non-Latin scripts), 4:9
Mnemonic label, 2:2, 2:30, 3:2, 3:4, G:7

N

Non-Latin scripts, 4:9
 Bibliographic field 066, 4:10
 Bibliographic field 880, 4:11
 MARC-8 character set, 4:9
 Subfield ꝥ6 (field 880), 4:12
 UTF-8 Unicode character set, 4:10
Nonstandard OCLC-MARC character sets, 4:2

O

OCLC services, viii
OCLC-MARC character set
 diacritics, 4:2, G:3
 hexadecimal codes, 4:2
 nonstandard character sets, 4:2
 standard character set, 4:3
 subscript character set, 4:8
 superscript character set, 4:8
OCLC-MARC record content, vi
OCLC-MARC record content designation, vi
OCLC-MARC record structure, vi
OCLC-MARC Subscription service
 automatic data from card profiles, B2
 call numbers, B:3
 chronological order, B:2
 content of records, B:2
 field 049, B:3; history of, A:4, A:5
 field 994, B:3
 frequency, B:2

 holding library codes and record processing, B:2
 multiple copies and adding holdings, B:3
 replace command, B:2
OCLC number, A:13–A:14

P

Previous editions of documentation, vii

R

Records, types of, vi
Record control fields
 authority data, 3:4
 bibliographic data, 2:6
Record directory
 authority data, 3:3
 bibliographic data, 2:5
Record leader
 authority data, 3:2
 bibliographic data, 2:2
Record structure, G:7
 authority record blocks, 1:2
 bibliographic record blocks, 1:2
 coded data, 1:3
 content designation, 1:2, G:2
 holdings record blocks, 1:3
 OCLC-MARC format, 1:2, G:7
 repeatability, 1:3
 tags and fields, 1:2, G:3, G:8
Record terminator, 1:5
Record variable fields
 authority data, 3:8
 bibliographic data, 2:48
Repeatability, 1:3
Retrospection OCLC-MARC Project
 history of field 049, A:4

S

Scope of the manual, vi
Script identifier, Arabic character set, 4:11
Standard OCLC-MARC character set, 4:3
Subfield ꝥ6 (field 880), 4:12
Subfield code, 1:12, G:8
Subscript OCLC-MARC character set, 4:8
Summary of bibliographic field 007, 2:9
Summary of bibliographic field 008, 2:30
Superscript OCLC-MARC character set, 4:8

T

Tag 007: byte 00, bibliographic record control field, 2:8
Tags and fields, 1:2, G:3, G:8

Types of OCLC-MARC records, vi
Typographical conventions, vii

V

Variable fields, 1:11
 authority data, 3:8
 bibliographic data, 2:48
 components, 1:12
 definition, 1:2, 1:5, G:9

W

WorldCat, G:9
 Arabic character set, 4:11
 CJK character set, 4:9